MISSOURI STATE AUDITOR'S OFFICE BOND REGISTRATION REPORT

December 26, 2002

REGISTRATION NO.: 24285 BOOK: 86 PAGE: 013

BONDS ISSUED BY: Cottleville Community Fire Protection District

AMOUNT OF ISSUE: \$5,000,000.00 (a portion of \$10,000,000 authorized) COUNTY: of St. Charles
DATE OF ISSUE: December 1, 2002 MONTH OF MATURITY: March

PURPOSE OF BONDS: Purchase real estate, construct, purchase, equip, and maintain fire

stations, and purchase fire protection and fire-fighting apparatus and

auxiliary equipment therefor for said District

Rate of Interest	Amount	Maturity
3.250%	\$ 575,000.00	03/01/2003
4.750%	150,000.00	03/01/2004
5.100%	150,000.00	03/01/2005
5.200%	150,000.00	03/01/2006
5.200%	175,000.00	03/01/2007
5.700%	175,000.00	03/01/2008
5.000%	175,000.00	03/01/2009
4.100%	200,000.00	03/01/2010
4.000%	200,000.00	03/01/2011
4.000%	225,000.00	03/01/2012
3.875%	225,000.00	03/01/2013
4.000%	225,000.00	03/01/2014
4.050%	250,000.00	03/01/2015
4.150%	250,000.00	03/01/2016
4.250%	275,000.00	03/01/2017
4.300%	300,000.00	03/01/2018
4.375%	300,000.00	03/01/2019
4.400%	325,000.00	03/01/2020
4.400%	325,000.00	03/01/2021
4.400%	350,000.00	03/01/2022

ARE BONDS CALLABLE: Bonds maturing on and after March 1, 2013 may be called on and after

March 1, 2012 (without premium)

BOND REGISTRAR: BNY Trust Company of Missouri, St. Louis, Missouri

INTEREST PAYABLE: March 1 and September 1

BY: BNY Trust Company of Missouri, St. Louis, Missouri

APPROVING OPINION BY: The Stolar Partnership, St. Louis, Missouri

ISSUE BOUGHT BY: Harris Trust & Savings Bank, Chicago, Illinois

 PURCHASE PRICE:
 \$5,000,014.00

 INTEREST RATE:
 4.3228%

 ASSESSED VALUATION:
 \$713,873,529

INDEBTEDNESS: (Including this issue) \$10,000,000

NOTICE OF ELECTION: Published two newspapers July 26 and August 2, 2002; second two newspapers

July 29 and August 5, 2002

DATE OF ELECTION: August 6, 2002

ELECTION RESULTS: Yes...4,331; No...2,234

METHOD OF SALE OF BONDS: Public sale

NOTICE OF SALE: Mailed to interested parties

NUMBER OF BIDS RECEIVED: 4